# **D-416-B8SA**

# 4U Compact Stylish Rackmount Chassis 8 x 3.5" Hotswap Drives PS2 PSU



#### **Features**

- Supports front access USB ports
- Supports standard ATX PSU
- · Compatible with redundant power supplies
- 8 hot-swappable bays for 3.5" HDDs
- Supports 3.5" SAS and SATA hard drives
- · Key lock front bezel to prevent unauthorized access

#### **Specifications**

Model Number	Supported PSU Type	Color of Main Chassis
D-416-B8SA	PS2	Black
RoHS Compliance	Expansion Slots	Front Connector
YES	7	2x USB 2.0
Form factor	Security	Motherboard Size
4 U	Front Bezel Key Lock	12 x 9.6 (ATX, microATX)
Standard Drive Bays	Material of Front Bezel	Optional Fan:
3.5" Drive (internal): 2	Aluminum	80mm x2, 60mm x2
Hotswap 3.5": 8		
Hotswap HDD Type:	Material of Handle	Dimensions (WxHxD)
3.5" SAS I/II & SATA I/II/III	Aluminum	Width 19.00" (482.6 mm)   Height 7.00" (177.8 mm)   Depth 21.77" (553.0 mm)
Indicators	Material of Main Chassis	
Power, HDD	Galvanized Steel	
Switches	Color of Front Bezel	
Power, Reset	Black	

#### **Front View**



#### **Inside View**




#### **Rear View**



We at iStarUSA Group offer OEM/ODM services for Industrial Power, Custom Power, Chassis, Cabinets, and Data Storage. Through our skilled metal bending, milling, and silk screening we can provide you with unique customizations that will make your product stand out from the rest. With iStarUSA Group's OEM/ODM Solutions you can be sure to receive one-of-a-kind products for your one-of-a-kind business.



# D-416-B8SA



### **Ordering Information**

Model	Description
D416-B8BK	D-416-B8SA with Black HDD Handle
D416-B8PL	D-416-B8SA with Lockable HDD Handle

# **Compatible Power**

PSU Model	Description
IS-400R8P	IS 400w x 2 redundant
IS-550R8P	Mini 550w Redundant

# **Optional Accessories**

Category	Model
Sliding Rail Kit	TC-RAIL Series Sliding Rail Kit



727 Phillips Drive, City of Industry, CA 91748 United States of America Tel: 1-888-989-1189 (Toll-free) Fax: 1-626-301-0588 Sales@istarusa.com www.istarusa.com iStarUSA, All Rights Reserved